



# Technology of semantic network as easiest procedure for information accessing

Nasim Nobahar<sup>1</sup>, Maryam Salami<sup>2</sup>, Gholamali Roudi<sup>3</sup>

1. h.D Student of Payame Noor University(PNU).
2. Faculty Member of Payame Noor University (PNU).
3. Faculty Member of Shomal University- Ph.D Student of Payame Noor University(PNU).

*Corresponding author email:* N.nobahar3@gmail.com

**ABSTRACT:** The present study aimed to investigate importance of semantic network use in digital library. Documents can be stored in electronic model electronically by digital library. So, documents are stored in electronic form instead of paper or other local media. Semantic web came as model of semantic retrieval in the web status. Semantic depends on context in which the user stores information: semantic web produce information in method which can be understood by computers and it helps users to find easier information and combine them so it accelerates development of web browsing. Semantic web also can extend the meaning of information by enabling the web to comprehend the demands of the user and computers in order to use the web for information.

**Keywords:** semantic web, digital library, semantic digital library, ontology, web2.0.

## 1. Introduction

Within the Internet era, semantic web is described as any type of semantic retrieval in the web environment. Regular local library has been in any point of change towards producing the particular collection with no boundary having international entry having Internet. Many data storage devices as well as retrieval systems were being useful for any meaningful retrieval within print-based local library. The standard suggests as well as systems for distinction techniques regarding ebook distinction have been changed into ontology to be able to signify domain knowledge within machine course of action ready style.

With all the semantic web engineering interprets the particular means as well as providers can help reduce the particular individual attempts as well as work with means as well as providers extremely effective. Every one of the means as well as providers from the grid ought to entirely explain since device -process in a position. This is the semantic significance as well as shall make clear the particular maintain with the electric power grid support amenities, the particular grid purposes. Make the particular personal computer as well as operate with co-operation to support the accommodating as well as calculations connected with globally.

Digital library (Electronic) can be a stockpile exactly where documents rather than document or maybe various other regional mass media are saved in automated variety. In case on any kind of specify anybody employing an everyday LAPTOP OR COMPUTER plus a cell phone range to help all the information that they gain access to a huge stockpile. Obtaining assets as well as storage devices are placed in this kind of local library is sufficient. Variety procedures, services as well as info set ups which might be simple to acquire data as a brand new technology, rapid, and are also widely available might be explained searching for stockpile. Time-Berners Shelter affirms the semantic world-wide-web pertains to: "Web web page that can strong as well as neo strong info needs to be processed by machine ". [1] Semantic world-wide-web can easily broaden this is (semantic) involving data by producing the world wide web to be aware of the needs with the end user as well as computers so that they can operate the world-wide-web intended for data [2]. Semantic world-wide-web is

actually for the groundwork a collection of style principles as well as the idea of providing valuable brings about an individual [3]. Significantly, the World Wide Web provided services as well as data which was understood by human beings by person; however, as opposed, semantic world-wide-web can easily make data in a fashion that might be understood by computers [4].

An important aim of the Semantic internet help users to get, easier to talk about along with combine data in order to make improvement regarding internet searching swifter. This research could result in educational digital libraries for optimization and effective dissemination of information to be exploited.

Other improved features regarding Web 2. 0 involves start connection by having a focus on Web-based communities regarding users, plus much more start revealing regarding data. Over time, Web 2. 0, continues to be utilized more to be a advertising time period than a computer-science-based time period. Information sites, wikis, along with World-wide-web services are viewed as the different parts of Web 2. 0, (O'Reilly, 2005). The information required for the operating of given patient can be encoded throughout Web 2. 0. Info demonstration can be a procedure with which this data can be extracted via Web 2. 0 as a way to add programs that will execute unique operate inside our existence (Negahban, 2014).

## 2 Digital libraries: an informal definition

The basic movement of our style is actually evaluated digital object, or just item. With ease, we all think of a digital item as some info within electronic kind for example a PDF document, any JPEG photograph, any text, any URI, and the like. As such, a digital item can be highly processed with a pc, as an illustration, it could be located within memory space and exhibited on the display screen.

The particular useful simplicity of any electronic collection generally depends upon the power associated with customers to be aware of the electronic collection content. The particular decryption associated with identifiers, which is the individuation with the people referred through identifiers, performs an essential part. On this paper, we all provide any elegant style for electronic local library with the aim associated with lounging the cosmetic foundations of any electronic collection supervision program [9] offering, as primitives, functions that execute the chores stated previously. This is often done following 1 of 2 solutions:

- Basic the style in existing standards, for example the RDF counsel dialect, or the Web architectural;
- define a digital library model based on a neutral formalism, such as logic, and then explore ways of implementing the model using standard machinery.

We emphasize that the digital library model presented in this article is a data model and *not* an information retrieval model [23]. The data model delivers formal explanations with the physical objects that are offered pertaining to access in addition to with the dilemma language pertaining to indicating sets regarding physical objects being retrieved. In addition to this efficiency, a great info access type also affords the penetration of importance of each one thing retrieved by way of dilemma. Thus, the particular digital selection type presented on this page isn't going to proceed as far as indicating the degree regarding importance regarding retrieved physical objects regarding the dilemma, although simply which often physical objects qualify inside a reaction to the dilemma. Therefore, our own digital selection type can be viewed as for primary specification associated with an info access type, being finished with the particular machinery essential to produce a standing of each one dilemma response. The specification of that machinery is beyond the scope of this study.

In comparison, if digital thing can be a cement thing, after that it has zero information and no description; the item solely has a solitary portrayal, once we clarify down below. Many of us realize that, in theory, nothing puts a stop to the set ID, involving identifiers by altering over time. In other words, the identifier could possibly be erased by ID., whereby the item gets to be any cement thing.

Or perhaps, any cement thing could possibly be put in to the set ID ., whereby the item acquires each of the “privileges” of the identifier; in particular, it could refer to any cement thing, have a information, a couple of representations and also a couple of product descriptions. In an exceedingly real perception, the list of cement objects may very well be as being a swimming pool from where identifiers tend to be driven. Within a digital library, each identifier *o* can be associated with content, a set of *representations* and a set of *descriptions*.

## 3 The formal definition

In the formal definition presented in this section, we introduce a first-order theory and we view a digital library as a model of this theory, in the logical sense of the term. A query is seen as a predicate (*i.e.* an open,

well-formed formula) and query evaluation on a digital library is tantamount to evaluating a predicate on the corresponding model. More precisely, the theory that we introduce consists of a language  $L$  and a set of axioms  $A$ . The predicate symbols of the language  $L$  (Sect. 3.1 below) express the relationships among the basic concepts found in a modern digital library (say, a digital library like Europeana3); most of these ideas contain item content along with item account amongst others, seeing that defined in the future within an example (Sect. 3. a couple of below). The actual axioms in the (Sect. 3. 3 below) show the meaning from the predicates seeing that suggested by simply digital camera selection exercise. The sole interpretations from the idea that are tolerable are usually people that regard the meaning, and it's precisely a satisfactory design that people should call up an electronic digital selection (Sect. 3. 4below).

#### 4. Semantic web and libraries

Baker (2006) with the article on "Digital library futures: the BRITISH ISLES THEY and also FE perspective" views customization associated with a digital libraries seeing that important. Both equally semantic web and also Web 2.0 help customization. Ferran offers the style regarding how customization might be accomplished utilizing ontology (Ferran et ing., 2005). These are designed utilizing sub-ontology which explains the normal different parts of this customization method, including users, a digital methods, measures, and also navigational profiles. Campbell and also Rapidly (2004) look at the possible associated with semantic web regarding foreseeable future magazines with academic study libraries. That they observe that interoperable exchange associated with metadata with metadata growing software is vital, by way of example, this Open Microfilm Initiative Process regarding Metadata Farming ([www. openarchives. org/pmh/](http://www.openarchives.org/pmh/)). The fundamental catalogue document can be increased having details obtained by means of computer software real estate agent through RDF encoded methods on the internet. These kind of may add some work's genre, its famous and also intelligent content material, info on mcdougal, and also bibliographic capabilities. Campbell and also Rapidly suppose in which cataloguers will hang out uncovering RDF methods, evaluating his or her stability and also performance and also doing mark-up initiatives to generate library catalogue stuff RDF encoded and also readily available. Jerome DL ([www. jeromedl. org](http://www.jeromedl.org)) is really a social semantic digital catalogue process which often includes numerous options that come with semantic world-wide-web and also Blogging platforms. 0 within a functional process. It turned out produced by semantic world-wide-web exploration party ([http://sw. deri. ie](http://sw.deri.ie)) for the Electronic Company Study Commence (DERI). Options that come with this technique include individualization of consumer profiles, the ability with regard to users to help annotate things, produce individual bookshelves, sophisticated dilemma establishments, and many others. Jerome DL explains each and every source making use of 3 varieties of metadata: framework, bibliographic and also area and also gives providers making use of each one of these metadata forms. The idea integrates very well with active catalogue exercise by simply allowing librarians to go into detail resources making use of a range of handled vocabularies including: guru files, with a list of creators, editors and also editors; class techniques, by way of example, Dewey, and also WordNet thesaurus with regard to keywords. Structural specifics of resources, by way of example, chapters in a very e-book, are actually registered making use of ontology with RDF. The device has a bibliographic ontology based on Dublin Primary information and also framework ontology. The system has a bibliographic ontology based on Dublin Core data and structure ontology. The bibliographic ontology uses MarcOnt as a mediation standard between MARC21, Bibtex and Dublin Core. Individual librarians can suggest new concepts for the ontology. A secure snapshot repository with RDF as the common data model allows users to easily integrate information from different sources with appropriate protection of sensitive data, for example, passwords. Semantic Query Extension can be obtained to help refine a new dilemma based on record research. Person aspects are usually enhanced making use of FOAF. Synonym replacement tool aspects are usually refined with narrower and also bigger human relationships and also keywords are usually enhanced making use of WordNet pointers similar to word.

#### 5. Semantic Web Basics

Technologies connected with Semantic World wide web were at first developed prior to climb on the Web 2 . 0. 0 techniques for controlling large-scale socially offered content. Precisely what classes need to Semantic World wide web systems bring in the popularity connected with marking techniques, support systems, mashups, along with Web 2 . 0. 0 approaches? Really does the actual good results on the social, user-oriented

side of the bargain types of Web 2 . 0. 0 influence just how which Semantic World wide web information must be designed, implemented, used, maintained, and discussed? Right, need to certain Kinds of the actual Semantic World wide web end up being reconsidered so as to maximally influence the actual talents connected with Web 2 .0.0? Web2.0 software often be based upon some type of discussed semantics -for illustration, relating to the software package the different parts of a mashup, or even inside individual area which results in a particular observing technique. [5] Some of the main technologies of Semantic Web are:

. **RDF**: Initially implemented as a metadata data model. With the passage of the years, it has evolved into a mode of conceptual description and a mechanism to provide more meaning to information on the web [6], [7], and [8]. Adida's proposal for translating between the emerging worlds of micro formats and RDFa is called HGRDDL (lacking vowels, best pronounced as 'h-griddle'). He believes that using GRDDL-style transformations to convert micro format enabled web pages into semantically equivalent pages where the micro formats have been replaced with RDFa markup, while ensuring that the transformation keeps the visual presentation of the page. HGRDDL is a practical proposal that prepares us for the world where RDFa and micro formats will exist side-by-side. [5]

### **RDF and the Triple**

The Resource Description Framework (RDF) is a formal language that defines the basic structure of the linked data that makes up the Semantic Web. If I can stretch an analogy a bit, RDF is to the Semantic Web as data packets are to the Internet. Both provide a basic, underlying structure that services can be built upon. They equally are designed with regard to use by simply pc packages, definitely not by simply individuals. But here's the actual caress: Individuals will find very few user-friendly software and also companies on the market today that will utilize RDF. Developmentally the actual Semantic Net is where the WORLD WIDE WEB was previous to Marc Andreessen and also colleagues created the primary Internet browser referred to as Mosaic, and also unveiled it freely throughout 1993. Because of this end users connected with connected data today usually are software engineers and also builders who will be comfy working directly in doing what is under the hood with this completely new technology. Average folks tend to be impatiently anticipating the actual user-friendly program that could we will simply utilize connected data. To put it simply, RDF specifies the normal device with the Semantic Net as a three-part framework, frequently often called a new three-way. That framework is related to be able to an easy to use time period, and also each three-way provides this particular similar group of components: Subject → predicate → object

The subject is what you are talking about, the object is what you are saying about it, and the predicate is a verb-like connector that states meaningfully what links the subject and object. For example, if you are describing a book and its author, you could create a statement like this:

Moby-Dick → has author → Herman Melville

While the structure is called a triple, a triple of information is often referred to as a statement because it states some information about the subject. When someone says that data has been made available "in RDF," that is usually shorthand for saying that the data follows Semantic Web standards. You will often see references to RDF/XML. Data in that format uses the standard RDF schema, also shortened to "RDFs."

### **SKOS**

The Simple Knowledge Organization System (SKOS) is one of the first structures built on top of RDF, and it is proving to be very useful. SKOS is a standard for encoding thesauri and controlled lists. It includes the basic structure of a thesaurus, including the concepts of broader, narrower, and related that can be applied between entries. It also allows for the designation of what librarians would call the "authoritative" display term and what SKOS calls a "preferred label" (shortened to pref label in encoded SKOS). There are also alternate labels and hidden labels allowed in SKOS, which can provide a variety of entry points for searching. Because SKOS is a Web standard and the Web is global and multilingual, any of these display labels can be encoded by language, and the labels for any SKOS entry can be provided in as many languages as desired. There are some SKOS examples at the beginning of chapter 4.

## OWL

Briefly, Web Ontology Language (OWL) is usually a standard which expands RDF and it is employed to determine particular Semantic World wide web metadata vocabularies (also called ontology). One example is, if you would like communicate your storage place files as associated files, you'd employ OWL to explain inside appliance vocabulary just what your metadata is usually and also the way it relates to other files from the World wide web of files. OWL shall be as used by the actual builders of metadata codecs to the Semantic World wide web; therefore, it can be rather sophisticated.

OWL has already been by means of its very own advancement period and as a result exists inside few variants. Many people will never do the job right together with OWL, although when a metadata standard is usually "in OWL," person will be able to realize it is made to end up being Semantic Web-compliant. End up being function in opposition to World Wide Web means; you have to 1st position the actual SPARQL power plant with a dataset. You can problem using one, a couple, or perhaps all a few components of the actual triple.

Web ontology language (OWL) vs simple knowledge organization system (SKOS) The Semantic Web community at W3C has become receptive to other theoretical approaches. This has been most evident in the use of ontology. Their differences with respect to the philosophy of thesauri and classifications have thus far represented a clear obstacle for digital library applications; however, there is a close connection with the Semantic Web community: that the deep and invisible web is important.

## SPARQL

One vision of the Semantic Web is that it is a huge web of data that uses the WWW as its database platform. In fact, it is expected that the Semantic Web will be queried much as a database is queried. A standard query language for that purpose, SPARQL (pronounced "sparkle"), is designed specifically to query the underlying triples of the Semantic Web using an SQL-like query format.

. **Ontology:** is the method of representing information in a formal and structured manner with the help of a set of concepts and their respective relationships [9]. Jaschke et 's. propose a method regarding ontology studying in individuals simonies, in certain determined by often corp developing sets associated with users, tag cloud as well as resources. Many people notice ontology since sociable constructs, where a concept is usually described by means of a collection of tag cloud regarding a collection of users as well as helpful to decide selected sorts of resources. [5] Adapting final results via formal Concept Investigation, they offer an effective way associated with studying the most important aspects inside an individual's simony. Interpreting and even imaging the results can be nontrivial, but their method could lead us to better ways of navigating and comprehending the complex and noisy folk simonies that many web 2.0 websites are built upon. .

. **XML:** Extensible Markup Language, One of the biggest and most basic steps in those directions has been taken to solve the scalability problems in the modern Internet. [12]

## 6. Current Semantic Web technologies and learning objects.

### Semantic Web Stack

This study primarily targets on the initial 4 levels connected with Semantic Net Collection, which includes URI, XML, Ontology, as well as policies levels. The very first layer (including Unicode as well as URI) as well as 2nd layer (including XML, Namespace, as well as XML Schema) stand for existing web technological innovation. URI will allow almost any net based resource to be discovered. Unicode provides fundamental persona established intended for net based methods. XML as well as XML Schema provide a area syntax intended for structured docs, nevertheless enforce no semantic difficulties for the meaning of the docs. The next layer is ontology language that may be speedily learning to be a truth from the development connected with ontology markup different languages including RDF, RDF Schema, DAML+OIL, as well as OWL (Web Ontology Language) (Smith, Welty et ing. 2004). These kinds of ontology markup different languages help this design connected with arbitrary website ontologies that will help this unambiguous explanation connected with information.. OWL is essentially an XML encoding of an expressive Description Logic, builds upon RDF and includes a substantial fragment of RDF-Schema. OWL has more facilities for expressing meaning and semantics than RDF and RDFS, thus OWL goes beyond these languages in its ability to represent machine-

readable content on the Web. Unfortunately, these ontology markup languages are insufficient for describing the conditions under which specific relations might hold, which requires the explicit representation of implications, as is provided by logic programs, such as rules. A broad consensus has evolved in the Semantic Web community that the vision of the Semantic Web includes, specifically, rules as well as ontology. The fourth layer of W3C's Semantic Web stack is rules to reflect this idea consensus view.

### **Learning Objects**

The definition of learning subject is amongst the principal research topics inside e-learning neighborhood inside modern times. This semantic World wide web is definitely an extension of the current web through which data can be offered well-defined this means, much better permitting desktops and individuals to operate within assistance. Quite a few reports (Hsu 09; Hsu, Chi et 's. 09; Hsu, Tzeng et 's. 09; Lu, Horng et 's. 2010) undertake Semantic World wide web to build intelligent applications in numerous areas. Learning objects can be viewed because methods which are accessible on the internet. Thus, Semantic World wide web can often improve the ease of access, reusability, as well as interoperability connected with learning objects. In recent times, many experiments possess devoted to following ontology to enhance the particular interoperability connected with learning objects. Although, they don't address the issue connected with just how Semantic World wide web technologies provide LOM to be able to aid appliance realizing. LO locator can be very first to cope with the issue. The next offers a brief understanding with present ontology techniques.

### **3. Applications of Semantic web in the digital library**

The social-semantic internet may well be a major request division of Semantic internet technologies. In line with Mary Gruber, web 2. 0 delivers wide amounts of user-generated content along with a confirmed formula involving individuals as well as products functioning jointly with synergy. Even so, this individual added in that web 2. 0 stops from what exactly this individual telephone calls "collected thinking ability, inch the pure pooling involving benefits from particular person people. Adding semantic internet technologies to the mix allows reaching accurate group thinking ability, which this individual identifies because higher-level comprehending constituted by means of responses, breakthrough discoveries and also other outcomes not necessarily present in the ordinal benefits. Gruber suggests that the semantic internet technologies will certainly take action with a couple of major approaches: with the help of framework for you to end user files as well as by means of hooking up the prevailing silos involving files that define the web 3. 0 scenery [5].

. **Semantic wikis:** semantic wiki is called that all types of web site visitors, sometimes even without registration web site, edit, add or remove the material. The computer programs that make possible the adoption of such a web site is called semantic wiki.[13]

. **Semantic Blogs:** semantic Blog is a web page that is usually short and summary and it is prepared and published when they are ordered like the pages of magazines or newspapers. Content and objectives of each action varies widely. [14]

. **Semantic Digital Libraries:** A semantic digital library helps the user to get the intended information due to an object without the presence of the exact word in the search [15].

. **Semantic Annotation:** For making the content and context of the information explicit to the system many tools and techniques have been developed for semantic annotation of the web resources. KIM Semantic annotation platform and KIM plug-in is one of the useful tools available for digital resource annotation. Meadche and staab [16] have proposed a semi-automatic acquisition of ontology from domain texts.

### **4. Semantic web and web2.0 relationship**

Web 2.0 is a term given to describe the second generation of the World Wide Web that is focused on the ability for people to collaborate and share information online, (Tredinnick , 2006). Web 2.0 basically refers to the transition from static HTML Web pages to a more dynamic Web that is more organized and is based on serving Web applications to users, (Anderson, 2007).

the cluster of technologies and design patterns known as web 2.0 has now emerged as the leading contender for "the next evolution of the web." researchers, developers, are all flocking toward the banner of web 2.0 based on its promise of massively increased sharing and participation among web users. Concurrently, your systems with the semantic World Wide Web happen to be high quality ageing in addition to establishing, and from now on they will utilize a basic a higher level official semantics towards facilities in addition to webpages with the world wide web. Both the styles associated with web 2.0 and the systems link with the semantic the primary notion of socially shared meaning. Before 12 months, it's turn into crystal clear these a couple of approaches are generally complements of each one buy. Further, the combination of semantic web technologies with web 2.0 application design patterns should give rise to a new and exciting offspring. [5].

In a societal semantic world wide web, specific formally symbolize in a position aspects of man that means can be encoded in addition to reasoned from the instruments from the semantic world wide web, but will also be curated in addition to maintained through this societal, community-oriented methods involving web 2 .. 0 the results with this combo can be potent from the societal semantic world wide web claims the understated modifications within and therefore characterize various man online communities can be maintained through this user-friendly effort process involving web 2 .. 0 even though still sustaining this significant accuracy in addition to reason power from the semantic World Wide Web. The idea facilitates a brand new course involving programs which could leveraging this semantic interaction that exist involving specific forms of web-accessible info to on auto-pilot find in addition to join information, carry out basic reason, in addition to pivot in addition to change representations to satisfy numerous individual needs. The manifestation of Details within Web 2 . 0. 0 is actually controlled primarily by entangling in addition to untying of regulatory details, known as overloading details to details on the inside in addition to outside of Web 2 . 0. 0. These regulatory details can easily become the repressor which lessens the fee of manifestation on the managed details (Miller, 2005). The current dilemma would be the chance of details burning within Web 2 . 0. 0 because of the interaction between your overstock in addition to actual details (Negahban, 2014).

### **Semantic Web and ontology**

According to Fensel (2001, p. VI), an ontology is "a community mediated and accepted description of the kinds of entities that are in a domain of discourse and how they are related". Stuckenschmidt and Harmelen (2005, p. IX) define the problem to be solved by ontology as "information sharing". This encompasses the integration of heterogeneous information sources and results.

Hahn and Schulz (2004, p. 134), who take medical thesauri as a starting point for constructing "true" ontology, clearly state that advocates of ontology generally view these relations as insufficient: [UMLS Metathesaurus] [Their] semantics are shallow and entirely intuitive, which is due to the fact that their usage was primarily intended for humans . . . there is no surprise that the lack of a formal semantic foundation leads to inconsistencies, circular definitions, etc. . . . This may not cause utterly severe problems when humans are in the loop [as] its use is limited . . . [to] document retrieval tasks. Anticipating its use for more knowledge-intensive applications such as medical decision making . . . those shortcomings might lead to an impasse. Ontology should therefore enable more than just the homogenization of search terms during database searching, which is why they require the possibility of automatic deductive processes. Ontology provides a domain theory and not the structure of a data container. In a nutshell ontology research is database research for the twenty-first century, where data needs to be shared and does not always fit into a simple table (Fensel, 2001, p. 10).




Figure 1: Evolution of Semantic Digital Libraries [3]

**Conclusion**

Through the use of semantic world-wide-web throughout digital library in addition to by a regular pc and a cell phone brand, every person can certainly gain access to an enormous library in addition to he/she also can obtain needful info in addition to facts pertaining to his/her study. Conventional your local library come in the period involving cross over in the direction of creating this library without having boundary having international gain access to having world wide web. Semantic digital your local library, according to that study, helps an individual to have the intended info relating to the thing without the reputation of the precise word inside search. Nonetheless, the notable significant consequence is which the digital library should mean regarding green well-organized centralized form of info. Other than, they need to additionally incorporate this evaluated involving communication. Using the semantic world-wide-web technology interprets this sources in addition to products and services will probably reduce this human being endeavors in addition to work with sources in addition to products and services more cost-effective. The most important function of this semantic world-wide-web is always to enable people to uncover in addition to merge info in order to make advancement involving world-wide-web surfing around quicker. Semantic digital your local library are generally much better to come across info inside vast marine involving available data.

**Reference:**

1. Alexander Maedche and Styeffen Stabb.Semi-automatic engineering of ontologies from text. In:Proceeding of the Twelfth International Conference on software Engineering and Knowledge Engineering(SEKE'2000). Chicago, July 6-8, 2000.
2. Anderson, P. (2007). All that glisters is not gold: Web 2.0 and the Librarian. *Journal of Librarianship and Information Science*, 39(4), 195-198.
3. Antoniou, G., Harmelen, F., 2003, web ontology Lannguage: OWL, <http://www.cs.vu.nl/~frankh/postscript/OntoHandbook03OWL.pdf>
4. Baruzzo, a., Casoto, P., Challapalli, P., Dattolo, a., Pudota, N., Tasso, C., 2009, Toward Semantic Digital Libraries: Exploiting web2.0 and semantic services in Cultural Heritage, *Journal of digital Information*, Vol. 10, No6.
5. Baruzzo, A., and Tasso, C., 2009 A conceptual model for digital libraries evolution. In *WEBIST '90: Proceedings of 5th Informational conference on web Information systems and Technologies*, pages 299-304, Berlin. Springer-Verlag.
6. Bates, M., J., 1990, where should the person Stop and the information Search Interface start, *Scientific American*, 284(5), pp. 34-43.
7. Berners-lee, T., Hendler, J., Lassila, O., 2001, the Semantic Web, *Scientific American Magazine* (May 17, 2001) . <http://www.scian.com/article.cfm?id=the-semantic-web&print=true>.
8. candela L., Castelli, D. and pagano, p., 2007, A reference architecture for digital library systems: principles and applications. In *digital libraries: research and Development*, Ist International DELOS Conference, pages 22-35.
9. Celino, I., turati, A., Della Valle, E., and Cerizza, D., (2006). Squiggle Med: Semantic search for medical digital library, technical report, CEFRIEL.
10. chen, C., 1999, Visualizing Semantic Space and Author co-citation Networks in digital Libraries, *Information Processing and Management*, Vol. 35, 401-420
11. Costello, R., L., Jacobs, D., B., 2003, A Quick Introduction to OWL Web ontology Language, the MITRECorporation, DARPA, Error! Hyperlink reference not valid.
12. Diane,V. (2006).when did the web start? *Developed Traffic*, <http://developedtraffic.com/2006/08/04/when-did-the-web-start/>
13. Guo, L., Zhou, Y., 2009, Ontology Based Digital library Search Model Research, *Granular Computing 2009*.
14. Harth, A., Decker, S., 2005, optimized index structures for Querying RDF from the web, 3rd Latin American web congress, Buenos Aires, Argentina, October 31 to November 2, pp. 71-80.
15. Klyne, G., 2000, Contexts for RDF information Modeling, Nine by Nine, <http://www.ninebynine.org/RDFNotes/RDFcontexts.html>



16. Klyne, S., G., 2004, Semantic Web Applications, [http://www.ninebynine.net/papers/Semantic webApplications.pdf](http://www.ninebynine.net/papers/Semantic%20webApplications.pdf)
17. Kruk, S., R., Haslhofer, B., piotrowski, P., westerski, A., Woroniecki, T., 2006, the Role of ontologies in Semantic Digital Libraries
18. Kruk, S., R., Cygan, M., Piotrowski, P., Samp, K., westerski, a., decker, S., 2006, Building a Heterogeneous network of Digital Libraies on the Semantic web', proceedings of the Semantics Conference.
19. Kruk, S., R., 2004, Advanced Search and browsing in digital Libraries, Proceeding of ISWC2004-06-03[19] Borgman, C., L., 2000, Digital libraries and the continuum of scholarly communication, *Journal of Documentation*, 56 (4), pp. 412-430 [6] Borgman, C., L., 1999, what are digital libraries? Competing visions, *Information processing & Management*, pp. 227-243.
20. Kruk, S., R., Decker, S., Haslhofer B., Knezevic, P., Payette, S., Krafft, D., 2007, Tutorial-Semantic Digital Libraries, BANFF 2007.
21. M. Greaves, P. Mika, semantic web and web 2.0, web semantics Sci Serv Agents world Wide web(2008), doi:10.1016/J.websem.2007.12.002
22. Miller, P. (2005). Web 2.0: Building the new library. *Ariadne*, 45, Retrieved from <http://www.ariadne.ac.uk/issue45/miller/intro.html>.
23. Negahban, M. B., Sepehri, A. R. (2014). Quantum Model for Information Retrieval in Web 2.0. *International Journal of Information Science and Management*, 12(2), 61-66.
24. O'Reilly, T. (2005). Web2.0: A compact definition. Message posted to <http://radar.oreilly.com/2005/10/web-20-compact-definition.html>
25. RDF Working Group, 2004, Resource Description Framework (RDF), W3C, <http://www.w3.org/rdf/>
26. Sebastian Ryszard Kruk, Stefan Decker, and Lech Zieborak. JeromeDL: Reconnecting digital Libraries and the Semantic web. <http://www.marcont.org/marcont/pdf/www2005-Jeromedl.pdf>
27. Sicilia, M., Davies, J., Digital Libraries in the Knowledge Era: Knowledge Management and Semantic web Technologies, Computers Engineering and Informatics Department, Technical Report, University of Patras, Greece.
28. The Spiritus Temporis web Ring community, 2005 Digital library, <http://www.spiritus-temporis.com/digital-library/disadvantages.html>
29. Tredinnick, L. (2006). Web2.0 and business. *Business Information Review*, 23(4), 231.
30. Woroniecki, t., gzella, A., Dobrowski, M., Ryszard Kruk, S., 2007, JeromeDL-A Semantic Digital Library. In Semantic web Challenge Co-located with the 6th International semantic web conference, Busan, Korea.
31. Xu, X., Niu, Z., Shi, C 2008 an ontology-Based Digital library System for E-Learning, International Conference on Information Management, Innovation Management and Industrial Engineering.
32. Xu, X., Zhang, F., Ni, Z., 2008, an ontology-based Query System For Digital Libraries, IEEE pacific-Asia Workshop on Comutational Intelligence and Industrial Application.